



Ti HIGH BAY/LOW BAY

INDOOR LED FIXTURES





THE MOST VERSATILE HIGH BAY & LOW BAY AVAILABLE

- Patent Pending Modular Design
- Lumen Packages Available From 4,575 to 42,900 Lumens
- Extremely Long Life
 - LED Rated Life of >120,000 Hours per L70 (25°C)
 - 10 Year Warranty on all Non-24/7 Operation
 - 7 Year Warranty on 24/7 Operation





Ti LOW BAY MODULAR DESIGN

- DLC Certified up to 143 Lumens per Watt
- Ti Bars Produce up to 3,140 Lumens
- Lumen Packages from 4,575 to 8,580 Lumens
- Available in 3000K, 3500K, 4000K and 5000K




Ti HIGH BAY MODULAR DESIGN

- 30 Watt TiHO Bars Each Produce up to 4,200 Lumens
- High Bay Configurations Ranging from a 3 Bar 90 Watt to a 10 Bar 300 Watt Fixture
- Lumen Packages from 11,000 to 42,900 Lumens
- Available in 4000K and 5000K

OPTIONS

INTERNAL EMERGENCY BACKUP

- 90 Minute Illumination at over 1,100 Lumens
- 9 Watt Power Output
- Factory or Field Installation Available
- Includes Test Switch with Indicator LED




OCCUPANCY/PHOTOCELL COMBINATION SENSOR

- Detection Range up to 32 Feet
- Lux Settings from 10 to 1000 Lux
- Field Adjustable Controls



OPTIONS



LENS AND WIRE GUARD OPTIONS

- HBX-LEN
- HBX-WG

MULTIPLE MOUNTING OPTIONS

- Surface Mount
- Pendant (HB-PM)
- V Hook (Standard Ship)



ORDERING GUIDE

ESL	-	TiHO	-		-	(xx)W	-	F	-		
ESL	-	TYPE	-	SERIES	-	LISTING	-	LENS	KELVIN	-	OPTIONS
TiHO Series					S P			F (Frosted)	30 (3000 Kelvin) 35 (3500 Kelvin) 40 (4000 Kelvin) 50 (5000 Kelvin)		

Example Part Number: ESL-TiHO-HR10-R-300W-F40

Example Part Number: ESL-TiHO-HB10-P-300W-F40

OPTIONS (ADD AS SUFFIX)

ESL-EMG-2DC-9W	External Emergency Backup, External Battery
ESL-EMG-4DC-9W	External Emergency Backup
ESL-EMG-FDC-30W	Internal Emergency Backup
ESL-1OCC-HDO	Standard High Bay Sensor with Dip Switch Setting, On/Off Control
ESL-2OCC-HDD	Microwave High Bay Sensor with Dip Switch, 0-10v Dimmable
ESL-CS3W-6*	Cord Set, White, 3 wire, 6 foot
ESL-CS3W-6P*	Cord Set, White, 3 wire, 6 foot, Standard Plug
ESL-CS3W-6TL*	Cord Set, White, 3 wire, 6 foot, Twist lock Plug
ESL-CS3W-12*	Cord Set, White, 3 wire, 12 foot
ESL-CS3W-12P*	Cord Set, White, 3 wire, 12 foot, Standard Plug
ESL-CS3W-12TL*	Cord Set, White, 3 wire, 12 foot, Twist lock Plug
ESL-HB8910-WG01	Wireguard for the HB8, HB9 and HB10 Fixtures
ESL-VH01	V-Hangers sets
ESL-JC01	Jack Chain - per foot
ESL-HB-PM01	Pendant Mounting
ESL-SPD-277-1	Hard Wire Surge Protector; 100-277V
ESL-480V-SD01	480 Volt Step Down Transformer
ESL-REM-100	Hand Held Remote to Program ESL-2OCC-HDD

*Other lengths and black cord available upon request



SPECIFICATIONS
LB


STANDARD	SERIES	PART NUMBER	WATTS	(lm/W)	KIT LUMENS
	Ti LB2	ESL-Ti-LB2-S-44W-F30	44	129	5,575
	Ti LB2	ESL-Ti-LB2-S-44W-F35	44	129	5,630
	Ti LB2	ESL-Ti-LB2-S-44W-F40	44	131	5,690
	Ti LB2	ESL-Ti-LB2-S-44W-F50	44	132	5,800
	TiHO LB2	ESL-TiHO-LB2-S-60W-F40	60	123	7,380
	TiHO LB2	ESL-TiHO-LB2-S-60W-F50	60	130	7,800
PREMIUM	SERIES	PART NUMBER	WATTS	(lm/W)	KIT LUMENS
	Ti LB2	ESL-Ti-LB2-P-36W-F30	36	141	4,525
	Ti LB2	ESL-Ti-LB2-P-36W-F35	36	141	4,613
	Ti LB2	ESL-Ti-LB2-P-36W-F40	36	142	4,650
	Ti LB2	ESL-Ti-LB2-P-36W-F50	36	143	4,725
	TiHO LB2	ESL-TiHO-LB2-P-36W-F40	60	130	7,800
	TiHO LB2	ESL-TiHO-LB2-P-36W-F50	60	143	8,580

HB3/4/5


STANDARD	SERIES	PART NUMBER	WATTS	(lm/W)	KIT LUMENS
	TiHO-HB3	ESL-TiHO-HB3-S-90W-F40	90	126	11,448
	TiHO-HB3	ESL-TiHO-HB3-S-90W-F50	90	131	11,630
	TiHO-HB4	ESL-TiHO-HB4-S-120W-F40	120	123	14,320
	TiHO-HB4	ESL-TiHO-HB4-S-120W-F50	120	130	14,600
	TiHO-HB5	ESL-TiHO-HB5-S-150W-F40	150	124	18,600
	TiHO-HB5	ESL-TiHO-HB5-S-150W-F50	150	127	18,873
PREMIUM	SERIES	PART NUMBER	WATTS	(lm/W)	KIT LUMENS
	TiHO-HB3	ESL-TiHO-HB3-P-90W-F40	90	143	12,442
	TiHO-HB3	ESL-TiHO-HB3-P-90W-F50	90	147	12,685
	TiHO-HB4	ESL-TiHO-HB4-P-120W-F40	120	126	15,337
	TiHO-HB4	ESL-TiHO-HB4-P-120W-F50	120	130	16,020
	TiHO-HB5	ESL-TiHO-HB5-P-150W-F40	150	142	20,490
	TiHO-HB5	ESL-TiHO-HB5-P-150W-F50	150	145	20,917

HB6/7


STANDARD	SERIES	PART NUMBER	WATTS	(lm/W)	KIT LUMENS
	TiHO-HB6	ESL-TiHO-HB6-S-180W-F40	180	114	21,398
	TiHO-HB6	ESL-TiHO-HB6-S-180W-F50	180	116	21,842
	TiHO-HB7	ESL-TiHO-HB7-S-210W-F40	210	123	26,013
	TiHO-HB7	ESL-TiHO-HB7-S-210W-F50	210	125	26,331
PREMIUM	SERIES	PART NUMBER	WATTS	(lm/W)	KIT LUMENS
	TiHO-HB6	ESL-TiHO-HB6-P-180W-F40	180	124	23,411
	TiHO-HB6	ESL-TiHO-HB6-P-180W-F50	180	127	24,010
	TiHO-HB7	ESL-TiHO-HB7-P-210W-F40	210	140	28,826
	TiHO-HB7	ESL-TiHO-HB7-P-210W-F50	210	141	29,016

HB8/9/10


STANDARD	SERIES	PART NUMBER	WATTS	(lm/W)	KIT LUMENS
	TiHO-HB8	ESL-TiHO-HB8-S-240W-F40	240	123	29,520
	TiHO-HB8	ESL-TiHO-HB8-S-240W-F50	240	130	31,200
	TiHO-HB9	ESL-TiHO-HB9-S-270W-F40	270	123	33,210
	TiHO-HB9	ESL-TiHO-HB9-S-270W-F50	270	130	35,100
	TiHO-HB10	ESL-TiHO-HB10-S-300W-F40	300	123	36,900
	TiHO-HB10	ESL-TiHO-HB10-S-300W-F50	300	130	39,000
PREMIUM	SERIES	PART NUMBER	WATTS	(lm/W)	KIT LUMENS
	TiHO-HB8	ESL-TiHO-HB8-P-240W-F40	240	138	33,120
	TiHO-HB8	ESL-TiHO-HB8-P-240W-F50	240	143	34,320
	TiHO-HB9	ESL-TiHO-HB9-P-270W-F40	270	138	37,260
	TiHO-HB9	ESL-TiHO-HB9-P-270W-F50	270	143	38,610
	TiHO-HB10	ESL-TiHO-HB10-P-300W-F40	300	138	41,400
	TiHO-HB10	ESL-TiHO-HB10-P-300W-F50	300	143	42,900

*See Spec Sheets for Accessory and Adder Part Numbers



WWW.ESLVISION.COM

888.493.5559

Headquarters
1136 S 3600 W
Salt Lake City, UT, USA

Atlanta
6371 Corley Road
Norcross, GA, USA