



OCCUPANCY DISK SERIES

ODSK SERIES - INDOOR LED FIXTURES



FEATURES


- Closet Rated
- Built-In Occupancy Sensor
 - 30 second stand-by time
 - Adjustable time delay settings
- Quick and Easy Installation
 - Fits most standard 4" j-boxes
- Wet Location and Airtight Rated
- California Title 24 Compliant

OPTIONS


- Available in 2 Sizes
 - 4" Round - 600 lumens
 - 6" Round - 950 lumens
- 3000K and 4000K



WALL MOUNT



CEILING MOUNT



BUILT-IN PIR OCCUPANCY SENSOR

ONLY 1.25" THICK


ORDERING GUIDE & SPECS

ESL	-	ODSK	-	(x)	-	(yy)	-	1	-	(zz)	-	DA
ESL	-	TYPE	-	SIZE	-	WATTS	-	GENERATION	-	KELVIN	-	DELAY
		ODSK (Occ Disk)		4 (4 Inch) 6 (6 Inch)		10W (10 Watts) 15W (15 Watts)		1 (1st Generation)		30 (3000K) 40 (4000K)		Adjustable 1 / 5 / 10 min


	PRODUCTS	SIZE (x)	WATTAGE (yy)	KELVIN (zz)	LUMEN OUTPUT	Lm/W	INPUT VOLTAGE
4 INCH	ESL-ODSK-4-10W-1zz-DA	4 (4 Inch)	10W (10 Watts)	30 (3000K) 40 (4000K)	600	60	120 VAC
6 INCH	ESL-ODSK-6-15W-1zz-DA	6 (6 Inch)	15W (15 Watts)	30 (3000K) 40 (4000K)	950	63	120 VAC

DIMENSIONS

4 INCH



6 INCH





WWW.ESLVISION.COM

888.493.5559

Headquarters
1136 S 3600 W
Salt Lake City, UT, USA

Atlanta
6371 Corley Road
Norcross, GA, USA